


六、MPX-X2 型安全标准认证 Approval for safety standard of type MPX-X2

认证标志 Certification logo	认证标准 approval standards	证书编号 Certificate number
	UL 60384-14	E477525
	EN60384-14: 2013	ENEC-01273-A3
	IEC 60384-14:2013	40044148
	GB/T 6346.14-2015	CQC16001141991
	KC 60384-14(2015-09) KC 60384-1(2015-09)	SU03097-17001A SU03097-17002A SU03097-17003A SU03097-17004A SU03097-17005A

七：常用尺寸 Commonly used size (单位 Unit :mm)

250VAC/275VAC/300VAC/310VAC/330VAC/350VAC						
容量 capacity (μ F)	宽 W	高 H	厚 T	脚距 P	引线直径 D	厂商编码 Manufacturer code
0.001	10	9	4	7.5	0.6	SMQPJ102K350XXB3B08150
0.0022	10	9	4	7.5	0.6	SMQPJ222K350XXB3B08150
0.0033	10	9	4	7.5	0.6	SMQPJ332K350XXB3B08150
0.0047	10	9	4	7.5	0.6	SMQPJ472K350XXB3B08150
0.0068	10	9	4	7.5	0.6	SMQPJ682K350XXB3B08150



广东全鹏电子科技有限公司

CHAMPION

GUANGDONG CHAMPION ELECTRONIC TECHNOLOGY CO., LTD.

0.01	10	9	4	7.5	0.6	SMQPH103K350XXB3B08150
0.022	10	9	4	7.5	0.6	SMQPG223K350XXB3B08150
0.033	10	9	4	7.5	0.6	SMQPF333K310XXB3B08150
0.047	10	9	4	7.5	0.6	SMQPE473K275XXB3B08150
0.068	10	9	4	7.5	0.6	SMQPE683K275XXB3B08150
0.1	10	12	6	7.5	0.6	SMQPF104K275XXB5B08150
0.22	10	16	6	7.5	0.6	SMQPE224K275XXB5B08150
0.001	13	11	5	10	0.6	SMQPJ103K350C2-1B10150
0.0022	13	11	5	10	0.6	SMQPJ223K350C2-1B10150
0.0033	13	11	5	10	0.6	SMQPI333K350C2-1B10150
0.0047	13	11	5	10	0.6	SMQPH473K350C2-1B10150
0.0068	13	12	6	10	0.6	SMQPG683K350XXC3B10150
0.1	13	12	6	10	0.6	SMQPF104K275XXC3B10150
0.1	13	12	6	10	0.6	SMQPG104K350XXC3B10150
0.15	13	12	6	10	0.6	SMQPF154K310XXC3B10150
0.22	13	12	6	10	0.6	SMQPE224K275XXC3B10150
0.33	13	14	8	10	0.6	SMQPE334K275C5-1B10150
0.47	13	14	8	10	0.6	SMQPE474K275C5-1B10150
0.15	13	14	8	10	0.6	SMQPG154K350C5-1B10150
0.22	13	16.5	9	10	0.6	SMQPG224K350XXC9B10150
0.01	18	11	5	15	0.8	SMQPJ103K350XXD1B15150
0.022	18	11	5	15	0.8	SMQPJ223K350XXD1B15150
0.033	18	11	5	15	0.8	SMQPJ333K350XXD1B15150



广东全鹏电子科技有限公司

CHAMPION

GUANGDONG CHAMPION ELECTRONIC TECHNOLOGY CO., LTD.

0.047	18	11	5	15	0.8	SMQPI473K350XXD1B15150
0.068	18	11	5	15	0.8	SMQPH683K350XXD1B15150
0.1	18	11	5	15	0.8	SMQPG104K350XXD1B15150
0.1	18	12	6	15	0.8	SMQPH104K350XXD2B15150
0.15	18	12	6	15	0.8	SMQPG154K350XXD2B15150
0.22	18	12	6	15	0.8	SMQPF224K275XXD2B15150
0.33	18	13	6.3	15	0.8	SMQPE334K275D2-7B15150
0.33	18	13.5	7.5	15	0.8	SMQPF334K275XXD3B15150
0.33	18	14.5	8.4	15	0.8	SMQPG334K350XXD4B15200
0.39	18	14.5	8.4	15	0.8	SMQPF394K310XXD4B15200
0.47	18	13.5	7.5	15	0.8	SMQPF474K275XXD3B15150
0.47	18	14.5	8.4	15	0.8	SMQPF474K310XXD4B15200
0.47	18	15.5	9.5	15	0.8	SMQPG474K350XXD5B15150
0.56	18	15.5	9.5	15	0.8	SMQPF564K275XXD5B15150
0.68	18	15.5	9.5	15	0.8	SMQPF684K275XXD5B15150
0.68	18	19	10.8	15	0.8	SMQPF684K310XXD7B15150
0.82	18	19	10.8	15	0.8	SMQPF824K275XXD7B15150
1	18	19	10.5	15	0.8	SMQPF105K275XXD7B15150
0.1	26.5	15	6	22.5	0.8	SMQPJ104K350XXE1B23150
0.22	26.5	16.5	7	22.5	0.8	SMQPI224K350XXE2B23150
0.33	26.5	16.5	7	22.5	0.8	SMQPH334K350XXE2B23150
0.33	26.5	17	8.5	22.5	0.8	SMQPI334K350XXE3B23150
0.47	26.5	17	8.5	22.5	0.8	SMQPH474K350XXE3B23150



广东全鹏电子科技有限公司

CHAMPION

GUANGDONG CHAMPION ELECTRONIC TECHNOLOGY CO., LTD.

0.47	26.5	19	10	22.5	0.8	SMQPI474K350XXE4B23150
0.68	26.5	17	8.5	22.5	0.8	SMQPG684K350XXE3B23150
0.68	26.5	19	10	22.5	0.8	SMQPH684K350XXE4B23150
1	26.5	17	8.5	22.5	0.8	SMQPF105K275XXE3B23150
1	26.5	19	10	22.5	0.8	SMQPG105K350XXE4B23150
1	26	21.5	12	22.5	0.8	SMQPH105K350XXE6B23150
1.2	26.5	19	10	22.5	0.8	SMQPF125K275XXE4B23150
1.2	26	21.5	12	22.5	0.8	SMQPG125K350XXE6B23150
1.5	26.5	19	10	22.5	0.8	SMQPF155K275XXE4B23150
1.5	26	21.5	12	22.5	0.8	SMQPG155K350XXE6B23150
2	26	21.5	12	22.5	0.8	SMQPF205K275XXE6B23150
2.2	26	21.5	12	22.5	0.8	SMQPF225K275XXE6B23150
0.68	31.4	19.5	10.8	27.5	0.8	SMQPI684K350XXF1B28150
1	31.4	19.5	10.8	27.5	0.8	SMQPH105K350XXF1B28150
1	31.5	21.6	13	27.5	0.8	SMQPI105K350XXF2B28150
1.2	31.4	19.5	10.8	27.5	0.8	SMQPH125K350XXF1B28150
2	31.4	19.5	10.8	27.5	0.8	SMQPF205K275XXF1B28150
2	31.5	21.6	13	27.5	0.8	SMQPG205K350XXF2B28150
2.2	31.5	21.6	13	27.5	0.8	SMQP225K350XXF2B28150
3.3	31	25	14	27.5	0.8	SMQPF335K275XXF3B28150
4.7	32	28	18	27.5	0.8	SMQPF475K275XF13B28150